

Processor Supplier	Phone	Web Site	Years in Business	Units Sold	Models	Custom Mfg.
Blockbuster	(888) 775-4883	www.blockbuster-inc.com	21	600-plus	6	Yes
Built-Rite Mfg.	(800) 757-2520	www.built-rite.com	12	510	10	No
Carl Neutzel Services	(410) 329-6791	www.carlneutzel.com	35	8-10/Year	8	
Cord King of Canada	(613) 267-0018	www.cord-master.com	26	thousands	5	Yes
CRD Metalworks	(413) 268-7938	www.crdmetalworks.com	3	65	2	Yes
Hahn Machinery	(218) 834-2156	www.hahnmachinery.com	37	3	1	Yes
Hakmet	(800) 361-2288	www.hakmet.com	32	—	6	No
Multitek North America	(800) 243-5438	www.multitekinc.com	30	thousands	7	
Rainier Hydraulics	(800) 457-9136	www.chomper.net	25		7	Yes
Timberwolf Mfg.	(800) 340-4386	www.timberwolfcorp.com	15	hundreds	4	No
Twister Industries	(320) 679-9835	www.twister-industries.com	17	—	6	Yes
Wood Beaver Forestry Equipment	(800) 569-6813	www.woodbeaver.net	16	300-Plus	9	No

Processor Supplier	Model	Log Capacity ¹	Power Options	Log Deck	Log Lift	Log Feed
Blockbuster	22-22	24 feet/22 inches	Kubota 83 hp	Yes	No	Chain
Built-Rite Mfg.	PTO 1	22 feet/22 inches	Tractor PTO (35 hp)	Yes	Optional	Chain
Built-Rite Mfg.	PTO 2	24 feet/22 inches	Tractor PTO (65 hp)	Yes	No	Chain
Built-Rite Mfg.	PTO 18	16 feet/16 inches	Tractor PTO 35 hp	Yes	Yes	Chain
Built-Rite Mfg.	86 SCP	24 feet/22 inches	Kubota 83 hp	Yes	No	Chain
Built-Rite Mfg.	50 SCP	24 feet/22 inches	Kubota 68 hp	Yes	No	Chain
Built-Rite Mfg.	40 SCP	24 feet/22 inches	Kubota 46 hp	Yes	No	Chain
Built-Rite Mfg.	30 SCP	22 feet/22 inches	Kubota 33 hp	Yes	No	Chain
Built-Rite Mfg.	24 SCP	22 feet/22 inches	Honda 24 hp, Kohler 38 hp	Yes	Optional	Chain
Built-Rite Mfg.	18 SCP-D	16 feet/16 inches	Kubota 33 hp	Yes	Yes	Chain
Built-Rite Mfg.	18 SCP	16 feet/16 inches	Honda 24 hp, Kohler 38 hp	Yes	Yes	Chain
Carl Neutzel Services	Sells and services the complete line of Timberwolf firewood processors; see Timberwolf information below.					
Carl Neutzel Services	Sells and services the complete line of Hakmet firewood processors; see Hakmet information below.					
Cord King of Canada	Mini-14	24 feet/14 inches	John Deere 50 hp	Yes	No	Chain
Cord King of Canada	Mini-20	30 feet/20 inches	Kubota 33 hp, Tractor PTO (35 hp)	Optional	Yes	Chain
Cord King of Canada	Cord King 36	30 feet/15 inches	Cat or John Deere 50 hp, Tractor PTO (50 hp)	Yes	No	Chain
Cord King of Canada	Cord King 48	40 feet/20 inches	Cat or John Deere 80 hp	Yes	No	Chain
Cord King of Canada	Cord King 60	50 feet/27 inches	John Deere 115 hp, Cat 127 hp	Yes	No	Chain
CRD Metalworks	Woodbine	24 feet/24 inches	John Deere, Yanmar 40-50 hp, Electric, Tractor PTO (40 hp)	Yes	Optional	Chain
CRD Metalworks	Woodbine-Junior	20 feet/16 inches	Honda 24 hp, Yanmar 25 hp, Electric, Tractor PTO (30 hp)	Yes	Optional	Chain
Hahn Machinery	HFP160	16 feet/16 inches	Attaches to skid steer Loader	N/A	N/A	Chain, Rollers
Hakmet	Palax KS35 Ergo	14-16 feet/14 inches	Tractor PTO (20 hp), PTO Powerpack	Yes	No	Belt
Hakmet	Palax KS35S	14-16 feet/14 inches	Tractor PTO (20 hp), PTO Powerpack	Yes	No	Belt
Hakmet	Palax 100S	14-16 feet/16 inches	Tractor PTO (40 hp)	Yes	No	Belt
Multitek North America	3040xp2	40 feet/30 inches	John Deere 115 hp, Cat 125 hp	Yes		Grapple
Multitek North America	2040xp2	40 feet/20 inches	John Deere 80 hp, Cat 83 hp	Yes		Grapple
Multitek North America	2025ldcs	25 feet/20 inches	John Deere 66 hp, Kubota 66 hp	Yes		Grapple
Multitek North America	2020ldcs	20 feet/20 inches	John Deere 66 hp, Kubota 66 hp	Yes		Grapple
Multitek North America	2020csc	20 feet/20 inches	John Deere 66 or 80 hp, Kubota 66 hp	Yes		Grapple
Multitek North America	SFP-18	14 feet/18 inches	Kohler 25 hp, Kubota 30 hp	Yes	Optional	Infeed Chain
Multitek North America	1610EZ	10 feet/16 inches	Honda 24 hp, Subaru 25 hp, Kubota 25 hp		Optional	Infeed Chain
Rainier Hydraulics	SMPLX Models (4)	tree length/14 inches	Honda 18 or 24 hp, Yanmar 36 hp, Tractor PTO (45 hp)	N/A	N/A	Inline Processing
Rainier Hydraulics	Super14	tree length/14 inches	John Deere 60 hp	N/A	N/A	Inline Processing
Timberwolf Mfg.	PRO-MP	12 feet/18 inches	Yanmar 35 hp	Yes	N/A	Chain
Timberwolf Mfg.	PRO-MX	16 feet/22 inches	John Deere 49 hp	Yes	N/A	Chain
Timberwolf Mfg.	PRO-HD	16 feet/22 inches	John Deere 80 hp	Yes	N/A	Chain
Timberwolf Mfg.	PRO-HDXL	16 feet/22 inches	John Deere 80 hp	Yes	N/A	Chain
Twister Industries	Hornet 1412, 1420	14 inches	Honda 24 hp, Tractor PTO, Electric	Yes	Optional	Belt
Twister Industries	Hornet 1812, 1820	18 inches	John Deere, Kubota, Perkins 60 hp, Tractor PTO, Electric	Yes	Optional	Belt or Chain
Twister Industries	Hornet 2012, 2020	20 inches	John Deere, Kubota, Perkins 60 hp	Yes	Optional	Chain
Wood Beaver Forestry Equipment	1x37	16 feet/15 inches	Tractor PTO (15 hp); Portable Power Pack	Optional	Optional	Conveyor

Notes for categories including next page:

- 1) Log Capacity refers to length of log in feet and diameter in inches; 2) Refers to 2-way splitting wedge, 4-way splitting wedge, 6-way, etc.
- 3) Number represents length in feet of outfeed conveyor; 4) Cycle time refers to length of time required to buck one piece of wood from the log and split it.
- 5) Production is manufacturer's estimate of how many cords of firewood that can be produced per hour.

All information provided by suppliers.

Table continues on next page.

Processor Supplier	Model	Bucking	Splitting Power	Splitting Wedges ²	Outfeed Conveyor ³	Cab	Cycle Time ⁴
Blockbuster	22-22	bar saw/hydraulic	—	4,6,8	Yes/20,30	Optional	5.5 Seconds
Built-Rite Mfg.	PTO 1	bar saw/25 inch/hydraulic	20 Tons	4,6,8,10	No	No	6 Seconds
Built-Rite Mfg.	PTO 2	bar saw/25 inch/hydraulic	25 Tons	4,6,8,10	Optional	No	6 Seconds
Built-Rite Mfg.	PTO 18	bar saw/20 inch/hydraulic	20 Tons	4,6,8,10	No	No	6 Seconds
Built-Rite Mfg.	86 SCP	bar saw/25 inch/hydraulic	25 Tons	4,6,8,10	Optional	Optional	4.8 Seconds
Built-Rite Mfg.	50 SCP	bar saw/25 inch/hydraulic	20 Tons	4,6,8,10	Optional	Optional	5 Seconds
Built-Rite Mfg.	40 SCP	bar saw/25 inch/hydraulic	20 Tons	4,6,8,10	Optional	No	5 Seconds
Built-Rite Mfg.	30 SCP	bar saw/25 inch/hydraulic	20 Tons	4,6,8,10	Optional	No	6 Seconds
Built-Rite Mfg.	24 SCP	bar saw/25 inch/hydraulic	20 Tons	4,6,8,10	Optional	No	6 Seconds
Built-Rite Mfg.	18 SCP-D	bar saw/20 inch/hydraulic	20 Tons	4,6,8,10	Optional	No	6 Seconds
Built-Rite Mfg.	18 SCP	bar saw/20 inch/hydraulic	20 Tons	4,6,8,10	Optional	No	6 Seconds
Cord King of Canada	Mini-14	bar saw/14 inch	16 Tons	4,6	Yes/20,30	No	4-5 Seconds
Cord King of Canada	Mini-20	bar saw/24 inch/hydraulic	20 Tons	6	Yes/20,30	Optional	10 Seconds
Cord King of Canada	Cord King 36	circular saw/36 inch	24 Tons	6	Yes	Optional	3 Seconds
Cord King of Canada	Cord King 48	circular saw/48 inch	29 Tons	8	Yes	Optional	3 Seconds
Cord King of Canada	Cord King 60	circular saw/60 inch	42 Tons	12	Yes	Optional	4 Seconds
CRD Metalworks	Woodbine	bar saw/26 inch/hydraulic	25 Tons	8	Yes/24	No	5-6 Seconds
CRD Metalworks	Woodbine-Junior	bar saw/20 inch/hydraulic	25 Tons	6	Yes/20	No	5-6 Seconds
Hahn Machinery	HFP160	bar saw/25 inch/hydraulic	16.5 Tons	4,6,8	N/A	N/A	4-6 Seconds
Hakmet	Palax KS35 Ergo	bar saw/15 inch/hydraulic	8.8 Tons	2,4,6	Yes/14	No	—
Hakmet	Palax KS35S	bar saw/15 inch/hydraulic	8.8 Tons	2,4,6	Yes/14	No	—
Hakmet	Palax 100S	circular saw	17.6 Tons	2,4,6,8,10,12	Yes/14	No	—
Multitek North America	3040xp2	circular/72 inch; bar saw/48-inch/hydraulic	35 Tons	4,6,8	Yes/30,35	Yes	3.5 Seconds
Multitek North America	2040xp2	circular/60 inch; bar saw/40 inch/hydraulic	22 Tons	4,6,8,16	Yes/30,35	Yes	3.5 Seconds
Multitek North America	2025ldcs	bar saw/36 inch/hydraulic	22 Tons	4,6,8	Yes/20,30,35	Yes	4 Seconds
Multitek North America	2020ldcs	bar saw/36 inch/hydraulic	22 Tons	4,6,8	Yes/20,30,35	Yes	4 Seconds
Multitek North America	2020csc	circular/60 inch; bar saw/36 inch/hydraulic	22 Tons	4,6,8	Yes/20,30,35	Yes	4 Seconds
Multitek North America	SFP-18	bar saw/36 inch/hydraulic	20 Tons	4,6,8	Yes/20,30,35	No	5.5 Seconds
Multitek North America	1610EZ	bar saw/36 inch/hydraulic	18 Tons	4,6	Yes/13,20,30,35	No	5.5 Seconds
Rainier Hydraulics	SMPLX Models (4)	shear blade	16 Tons	0,2,4,6,8	N/A	N/A	6-15 Seconds
Rainier Hydraulics	Super14	shear blade	16 Tons	0,2,4,6,8	N/A	N/A	6.5 Seconds
Timberwolf Mfg.	PRO-MP	bar saw/hydraulic	20 Tons	4,6	Optional	N/A	6 Seconds
Timberwolf Mfg.	PRO-MX	bar saw/hydraulic	20 Tons	4,6	Optional	N/A	10 Seconds
Timberwolf Mfg.	PRO-HD	bar saw/hydraulic	28 Tons	6,8	Optional	N/A	7 Seconds
Timberwolf Mfg.	PRO-HDXL	bar saw/hydraulic	20 Tons	8	Optional	N/A	4.5 Seconds
Twister Industries	Hornet 1412, 1420	bar saw/16 inch	12-16 Tons	2,4,6	Yes	Optional	7 Seconds
Twister Industries	Hornet 1812, 1820	bar saw/18 inch	20 Tons	4,6,8,12,16	Optional	Optional	7 Seconds
Twister Industries	Hornet 2012, 2020	bar saw/18 inch	20 Tons	4,6,8,12,16	Optional	Optional	7 Seconds
Wood Beaver Forestry Equipment	1x37	bar saw/16 inch/hydraulic	7 Tons	2,4,6	Yes/7	No	2.8 Seconds

Processor Supplier	Model	Production/Hr. ⁵	Other Features or Options
Blockbuster	22-22	3-4 Cords	—
Built-Rite Mfg.	PTO 1	1.5-2 Cords	Extended splitter strokes.
Built-Rite Mfg.	PTO 2	3-4 Cords	Auto-stop system, extended splitter strokes.
Built-Rite Mfg.	PTO 18	1-1.5 Cords	Extended feed trough, extended splitter strokes.
Built-Rite Mfg.	86 SCP	3.5-4.5 Cords	Climate controlled cab, block turner, extended splitter strokes.
Built-Rite Mfg.	50 SCP	3-4 Cords	Auto-stop system, auto splitter, climate controlled cab, extended splitter strokes.
Built-Rite Mfg.	40 SCP	2.5-3.5 Cords	Auto-feed, auto-splitter, extended splitter strokes.
Built-Rite Mfg.	30 SCP	2-2.5 Cords	Extended splitter opening.
Built-Rite Mfg.	24 SCP	1.5-2 Cords	Extended splitter opening.
Built-Rite Mfg.	18 SCP-D	1.5-2 Cords	Live deck, seat, 4-foot feed trough extension, extended splitter strokes.
Built-Rite Mfg.	18 SCP	1-1.5 Cords	Live deck, seat, 4-foot feed trough extension, extended splitter strokes.
Cord King of Canada	Mini-14	4 Cords	Optional longer log length
Cord King of Canada	Mini-20	2.5 Cords	Optional live log deck.
Cord King of Canada	Cord King 36	4 Cords	Optional climate-controlled operator's cab.
Cord King of Canada	Cord King 48	6 Cords	Optional climate-controlled operator's cab.
Cord King of Canada	Cord King 60	6 Cords	Available with 72 tons of splitting force, 21-way splitting wedges.
CRD Metalworks	Woodbine	3-4 Cords	Towable or stationary, outfeed conveyor clean-out, one lever clamp and cut, multi-block splitting, off-the-shelf parts.
CRD Metalworks	Woodbine-Junior	2 Cords	Towable or stationary, outfeed conveyor clean-out, one lever clamp and cut, multi-block splitting, off-the-shelf parts.
Hahn Machinery	HFP160	2-3 Cords	—
Hakmet	Palax KS35 Ergo	1-2 Cords	Folds for transport; high-speed valve, automatic tightening v-belts, sealed bearings.
Hakmet	Palax KS35S	1-2 Cords	Fully hydraulic version of the KS35 Ergo; control all functions with joysticks.
Hakmet	Palax 100S	1-2 Cords	Fully hydraulic with joystick controls, live log deck with chain feed, folds for transport, folds to shorten cylinder and split short wood faster.
Multitek North America	3040xp2	4 Cords	—
Multitek North America	2040xp2	4 Cords	—
Multitek North America	2025ldcs	2.5 Cords	—
Multitek North America	2020ldcs	2.5 Cords	—
Multitek North America	2020csc	2.5-4.5 Cords	Integrated conveyor; easily towed.
Multitek North America	SFP-18	1.5 Cords	—
Multitek North America	1610EZ	1 Cord	Log lift holds multiple logs.
Rainier Hydraulics	SMPLX Models (4)	1 Cord	Manually controlled processing cycle.
Rainier Hydraulics	Super14	2 Cords	Automatic processing cycle.
Timberwolf Mfg.	PRO-MP	1 Cord	Operator's seat.
Timberwolf Mfg.	PRO-MX	1.5-2 Cords	Operator's seat, oil cooler, electric auto cycle.
Timberwolf Mfg.	PRO-HD	2-2.5 Cords	Operator's seat, oil cooler, electric auto cycle.
Timberwolf Mfg.	PRO-HDXL	4 Cords	Hydraulic live deck.
Twister Industries	Hornet 1412, 1420	2 Cords	Slab wood module available.
Twister Industries	Hornet 1812, 1820	3 Cords	—
Twister Industries	Hornet 2012, 2020	3 Cords	—
Wood Beaver Forestry Equipment	1x37	2 Cords	—

Splitter Supplier	Phone	Web Site	Years in Business	Units Sold	Models	Custom Mfg.
Built-Rite Mfg.	(800) 757-2520	www.built-rite.com	12	400	2	No
Carl Neutzel Services	(410) 329-6791	www.carlneutzel.com	35	30	—	—
Rayco Mfg.	(800) 392-2686	www.raycomfg.com	31	—	1	No
Supersplitter	(508) 427-5800	www.supersplit.com	20	7,000	3	No
Timberwolf Mfg.	(800) 340-4386	www.timberwolfcorp.com	15	thousands	13	No
Twister Industries	(320) 679-9835	www.twister-industries.com	17	—	6	Yes
Wood Beaver Forestry Equipment	(800) 569-6813	www.woodbeaver.net	16	300-Plus	1	No

Splitter Supplier	Model	Orientation	Log Capacity ¹	Power Options	Log Lift	Power	Wedges ²
Built-Rite Mfg.	11HPWS	Horizontal	24 inches/5 feet	Honda 11 hp	Optional	20 Tons	4,6,8,10
Built-Rite Mfg.	24HPWS	Horizontal	23 inches/5 feet	Honda 24 hp	Optional	25 Tons	4,6,8,10
Carl Neutzel Services	Sells and services the complete line of Timberwolf Mfg. splitters; see Timberwolf information below.						
Rayco Mfg.	LS2526	Horizontal	26 inches	Honda 13 hp	Yes	25 Tons	2,4
Supersplitter	SSJ	Horizontal	24 inches/24 inches	Subaru-Robin 4 hp, electric 1 hp	No	N/A	2
Timberwolf Mfg.	TW-P1	Horizontal	24 inches length	Honda 5 hp	Yes	20 Tons	—
Timberwolf Mfg.	TW-2	Horizontal	24 inches length	Honda 9 hp	Yes	20 Tons	—
Timberwolf Mfg.	TW-2HD	Horizontal	24 inches length	Honda 9 hp	Yes	20 Tons	—
Timberwolf Mfg.	TW-HV1	Horizontal-Vertical	24 inches	Honda 5 hp	N/A	20 Tons	single
Timberwolf Mfg.	TW-HV2	Horizontal-Vertical	24 inches	Honda 9 hp	N/A	25 Tons	single
Timberwolf Mfg.	TW-3	Horizontal	24 inches	Tractor PTO	Yes	17 Tons	—
Timberwolf Mfg.	TW-3HD	Horizontal	24 inches	Tractor PTO (16 hp)	Optional	22 Tons	4
Timberwolf Mfg.	TW-5	Horizontal	24 inches	Honda 11 hp	—	25 Tons	4
Timberwolf Mfg.	TW-5FC	Horizontal	24 inches	Honda 11 hp	Optional	20 Tons	4
Timberwolf Mfg.	TW-6	Horizontal	24 inches	Honda 18 hp	Yes	28 Tons	4
Timberwolf Mfg.	TW-7	Horizontal	24 inches	Honda 18 hp	Yes	28 Tons	2
Timberwolf Mfg.	TW-10RC	Horizontal	10 feet/5 feet	John Deere 60 hp	N/A	50 Tons	4
Twister Industries	HTR24,30,36	Horizontal	24,30,36 inches	Honda 5 or 9 hp	Optional	20 Tons	2
Twister Industries	BCM24,30,36	Bobcat, Inverted or Upright	24,30,36 inches	—	No	20 Tons	2
Twister Industries	3PT-24	Horizontal	24,30,36 inches	Tractor PTO	No	20 Tons	2
Twister Industries	Resplitter	Horizontal	16 inches	Processor, Tractor, Self-Contained	No	12,16 Tons	4,6
Twister Industries	Custom	Horizontal	14 inches	Honda 18 hp	Optional	30 Tons	2,4,6,8,12,16
Wood Beaver Forestry Equipment	Z100	Horizontal	10-42 inches/20 inches	Tractor PTO	No	18 Tons	2,4

Splitter Supplier	Model	Conveyor ³	Cycle Time	Other Features or Options
Built-Rite Mfg.	11HPWS	Optional	6 Seconds	Hydraulic 4-way wedge, separator gate standard; optional log length capacity to 48 inches.
Built-Rite Mfg.	24HPWS	Optional	7.5 Seconds	Hydraulic 4-6-way wedge, separator gate, single stage pump standard; optional log length capacity to 36 inches.
Rayco Mfg.	LS2526	N/A	6 Seconds	—
Supersplitter	SSJ	No	2.5 Seconds	Production table optional; also available in heavy-duty motel and special edition model.
Timberwolf Mfg.	TW-P1	Optional	13 Seconds	Mechanical log lift, table grate, optional 4-way wedge.
Timberwolf Mfg.	TW-2	Optional	9 Seconds	Mechanical log lift, table grate, optional 4-way wedge.
Timberwolf Mfg.	TW-2HD	Optional	9 Seconds	Auto cycle, table grate, hydraulic lift, optional hydraulic four-way wedge.
Timberwolf Mfg.	TW-HV1	N/A	13 Seconds	—
Timberwolf Mfg.	TW-HV2	Optional	10 Seconds	—
Timberwolf Mfg.	TW-3	Optional	6 Seconds	Mechanical log lift, table grate, optional 4-way wedge.
Timberwolf Mfg.	TW-3HD	Optional	—	Auto cycle, hydraulic log lift, 6-way wedge.
Timberwolf Mfg.	TW-5	Optional	10 Seconds	Log lift, table grate, 6-way wedge.
Timberwolf Mfg.	TW-5FC	Optional	6 Seconds	Table grate, hydraulic log lift.
Timberwolf Mfg.	TW-6	Optional	8 Seconds	Table grate, hydraulic log lift.
Timberwolf Mfg.	TW-7	Optional	8 Seconds	Hydraulic log lift and wedges, table grate, 4-6-way wedge.
Timberwolf Mfg.	TW-10RC	Optional	12 Seconds	—
Twister Industries	HTR24,30,36	Yes/12,20,24,30	7-14 Seconds	Trailer mounted; fender lights available.
Twister Industries	BCM24,30,36	No	—	Upright model has mounted control valve.
Twister Industries	3PT-24	No	—	Optional vertical orientation.
Twister Industries	Resplitter	No	—	—
Twister Industries	Custom	Optional	7 Seconds	—
Wood Beaver Forestry Equipment	Z100	No	3 Seconds	Optional log rack.

Notes: 1) Log Capacity refers to log length/log diameter; 2) Refers to 2-way splitting wedge, 4-way splitting wedge, 6-way, etc; 3) Number represents length in feet of conveyor.